

Primo Combi 1000

MADE IN ITALY

Cabinet with hinged doors
and open unit
W 1000 x D 450 x H 2003 mm

Body: metal


V1 white RAL 9010

art.6PRC0003P S711


V6 aluminium RAL 9006

art.6PRC0003P S380


DESIGNER Takiro Yuta




Front



Side



Back



Primo Combi 1000

MADE IN ITALY

Cabinet with hinged doors and open unit

W 1000 x D 450 x H 2003 mm

DESIGNER Takiro Yuta

DESCRIPTION Cabinet with hinged doors and open unit

EXTERNAL DIMENSIONS W 1000 mm x D 450 mm x H 2003 mm

INTERNAL DIMENSIONS OPEN COMPARTMENT W 951 mm x D 424 mm x H 955 mm

INTERNAL DIMENSIONS DOOR COMPARTMENT W 951 mm x D 424 mm x H 933 mm

BINDERS > Capacity open compartment: n° 11 (x 2)
> Capacity door compartment: n° 11 (x 2)

HANGING FILES > open compartment: 75 hanging files of 330 mm
> door compartment: 75 hanging files of 330 mm

PRODUCTION > Dieffebi S.p.a.
> Start of production: 2010
> Country of production: Italy

MATERIALS > recycled and recyclable metal

FINISHING > Low-emission powder coating (material inert)
> Heavy metals free
> Absence of sharp edges
> Anti-glare finish
> It does not contain VOCs

STANDARD COMPONENTS > Cylinder lock with 2 keys (fixed + folding)
> Master key available
> Adjustable shelves: in metal designed for hanging files
> Shelf capacity: 50 Kg
> Adjustable feet H 40mm

COLORS > Available in 2 standard colors:
V1 white (RAL 9010)
V6 aluminium (RAL 9006)
> Standard semi-gloss colors
> Customizable colors available upon request and with an extra charge:
www.dieffebi.com/docs/299/2832/DFB_Colour-Chart-2020.pdf

ACCESSORIES > Plinth H 40mm (only for H40 feet)
> Set of 4 feet H 20mm
> Set of 4 feet H 60 mm
> Master key
> Additional metal shelf
> Hanging files Length. 330mm
> Kit of soft closing hinges

NET WEIGHT 85,00 Kg

MAINTENANCE > Clean with a soft cloth
> Do not treat the surfaces with abrasive cloths

PACKAGING > volume: 1,27 m³
> Single cardboard cabinet with edges protected with polystyrene, on a single wooden pallet
> Optimized for transport with CO2 reduction
> Supplied: assembled
> No. of packages: 1

END OF USE > Equipped with disassembly card for disposal

WARRANTY > Dieffebi guarantees that the product was made using high quality materials - [See warranty document](#)

Primo Combi 1000

MADE IN ITALY

Cabinet with hinged doors and open unit

W 1000 x D 450 x H 2003 mm

DESIGNER Takiro Yuta

WELLNESS AND ENVIRONMENT > Green design in accordance with LEED® standards, to design and furnish environments with a high sustainability content



FINISHING TEST

UNI EN ISO 2409:2013	EN ISO 1520:2006
NSS UNI EN ISO 9227:2017	UNI EN ISO 6272-1:2013
UNI EN 15187:2007	UNI EN 15185:2011
EN 12720:2013	UNI EN 15186:2012, met. B
EN 12721:2013	UNI 9300:2015
UNI 9429:2015	

CLASS OF REACTION TO FIRE > Class 0

POSITIONING > On the wall

ASSEMBLY CONSTRAINTS > Fixing system: plugs for fixing to the wall



ADIMEMBER



Primo Combi 1000

Varnish Vernici Vernis Lacke

Cabinet Body
Corpo
Caisson
Korpus



-V1
S711 (RAL 9010)
Pure white



-V6
S380 (RAL 9006)
White aluminium

Additional metal shelf
Ripiano aggiuntivo in
metallo
Tablette supplémentaire
en métal
Zusätzlicher
Metallfachboden




-V1
S711 (RAL 9010)
Pure white



-V6
S380 (RAL 9006)
White aluminium

Plinth
Zoccolo
Socle
Socket



-V19
S210 (RAL 7021)
Black grey

Primo Combi 1000

MADE IN ITALY

Cabinet with open unit
and 2 filing drawers
W 1000 x D 450 x H 2003 mm

Body: metal


V1 ○ white RAL 9010

art.6PRC0005P S711

V6 ● aluminium RAL 9006

art.6PRC0005P S380

DESIGNER Takiro Yuta



Primo Combi 1000

MADE IN ITALY

Cabinet with open unit and 2 filing drawers

W 1000 x D 450 x H 2003 mm

DESIGNER Takiro Yuta

DESCRIPTION	Cabinet with open unit and 2 filing drawers	COLORS	<ul style="list-style-type: none"> > Available in 2 standard colors: V1 white (RAL 9010) V6 aluminium (RAL 9006) > Standard semi-gloss colors > Customizable colors available upon request and with an extra charge: www.dieffebi.com/docs/299/2832/DFB_Colour-Chart-2020.pdf
EXTERNAL DIMENSIONS	W 1000 mm x D 450 mm x H 2003 mm	ACCESSORIES	<ul style="list-style-type: none"> > Plinth H 40mm (only for H40 feet) > Set of 4 feet H 20mm > Set of 4 feet H 60 mm > Master key > Additional metal shelf > Hanging files Length. 330mm > Kit of soft closing hinges
INTERNAL DIMENSIONS OPEN COMPARTMENT	W 951 mm x D 424 mm x H 1240 mm	PRODUCTION	<ul style="list-style-type: none"> > Dieffebi S.p.a. > Start of production: 2010 > Country of production: Italy
INTERNAL DIMENSIONS DOOR COMPARTMENT	W 890 mm x D 390 mm x H 260 mm	NET WEIGHT	85,00 Kg
BINDERS	<ul style="list-style-type: none"> > Capacity open compartment: n° 11 (x 3) > Capacity door compartment: n° 10 (x 2) 	MAINTENANCE	<ul style="list-style-type: none"> > Clean with a soft cloth > Do not treat the surfaces with abrasive cloths
HANGING FILES	<ul style="list-style-type: none"> > open compartment: 75 (x 2) hanging files of 330 mm > door compartment: 75 (x 2) hanging files of 390 mm 	PACKAGING	<ul style="list-style-type: none"> > volume: 1,27 m³ > Single cardboard cabinet with edges protected with polystyrene, on a single wooden pallet > Optimized for transport with CO2 reduction > Supplied: assembled > No. of packages: 1
MATERIALS	> recycled and recyclable metal	END OF USE	> Equipped with disassembly card for disposal
FINISHING	<ul style="list-style-type: none"> > Low-emission powder coating (material inert) > Heavy metals free > Absence of sharp edges > Anti-glare finish > It does not contain VOCs 	WARRANTY	> Dieffebi guarantees that the product was made using high quality materials - See warranty document
STANDARD COMPONENTS	<ul style="list-style-type: none"> > Recycled metal filing cabinet with guide telescopic with full extension > Amortized soft closing > Centralized key lock for all filing cabinets > Nr. 4 converters L = 390 for 330 mm suspended folders > Internally adjustable feet H 40mm > Cylinder lock with 2 keys (fixed + folding) > Master key available > Removable cylinder (only for filing cabinet) > Adjustable shelves: in metal designed for hanging files > Shelf capacity: 50 Kg 		

Primo Combi 1000

MADE IN ITALY

Cabinet with open unit and 2 filing drawers

W 1000 x D 450 x H 2003 mm

DESIGNER Takiro Yuta

WELLNESS AND ENVIRONMENT > Green design in accordance with LEED® standards, to design and furnish environments with a high sustainability content



FINISHING TEST

UNI EN ISO 2409:2013	EN ISO 1520:2006
NSS UNI EN ISO 9227:2017	UNI EN ISO 6272-1:2013
UNI EN 15187:2007	UNI EN 15185:2011
EN 12720:2013	UNI EN 15186:2012, met. B
EN 12721:2013	UNI 9300:2015
UNI 9429:2015	

CLASS OF REACTION TO FIRE > Class 0

POSITIONING > On the wall

ASSEMBLY CONSTRAINTS > Fixing system: plugs for fixing to the wall



ADIMEMBER



Primo Combi 1000

Varnish Vernici Vernis Lacke

Cabinet Body
Corpo
Caisson
Korpus



-V1
S711 (RAL 9010)
Pure white



-V6
S380 (RAL 9006)
White aluminium

Additional metal shelf
Ripiano aggiuntivo in
metallo
Tablette supplémentaire
en métal
Zusätzlicher
Metallfachboden



-V1
S711 (RAL 9010)
Pure white



-V6
S380 (RAL 9006)
White aluminium

Plinth
Zoccolo
Socle
Socket



-V19
S210 (RAL 7021)
Black grey

Metal separator for hanging
file 330 mm
Convertitore lungo per
cartelle da 330 mm
Conertisseur pour dossiers
330 mm
Querstange für Hängemappen
330 mm



-V6
S380 (RAL 9006)
White aluminium

Primo Combi 1000

MADE IN ITALY

Cabinet with open unit
and 3 filing drawers
W 1000 x D 450 x H 2003 mm

Body: metal


V1 ○ white RAL 9010

art.6PRC0002P S711

V6 ● aluminium RAL 9006

art.6PRC0002P S380

DESIGNER Takiro Yuta



Primo Combi 1000

MADE IN ITALY

Cabinet with open unit and 3 filing drawers

W 1000 x D 450 x H 2003 mm

DESIGNER Takiro Yuta

DESCRIPTION Cabinet with open unit and 3 filing drawers

EXTERNAL DIMENSIONS W 1000 mm x D 450 mm x H 2003 mm

INTERNAL DIMENSIONS OPEN COMPARTMENT W 951 mm x D 424 mm x H 955 mm

INTERNAL DIMENSIONS DOOR COMPARTMENT W 890 mm x D 390 mm x H 260 mm

BINDERS > Capacity open compartment: n° 11 (x 2)
> Capacity filing drawer: n° 10 (x 3)

HANGING FILES > open compartment: 75 hanging files of 330 mm
> filing drawer: 75 (x 3) hanging files of 390 mm

MATERIALS > recycled and recyclable metal

FINISHING > Low-emission powder coating (material inert)
> Heavy metals free
> Absence of sharp edges
> Anti-glare finish
> It does not contain VOCs

STANDARD COMPONENTS > Recycled metal filing cabinet with guide telescopic with full extension
> Amortized soft closing
> Centralized key lock for all filing cabinets
> Nr. 6 converters l = 390 for 330 mm hanging files
> Internally adjustable feet H 40mm
> Cylinder lock with 2 keys (fixed + folding)
> Master key available
> Removable cylinder (only for filing cabinet)
> Adjustable shelves: in metal designed for hanging files
> Shelf capacity: 50 Kg

COLORS > Available in 2 standard colors:
V1 white (RAL 9010)
V6 aluminium (RAL 9006)
> Standard semi-gloss colors
> Customizable colors available upon request and with an extra charge:
www.dieffebi.com/docs/299/2832/DFB_Colour-Chart-2020.pdf

ACCESSORIES > Plinth H 40mm (only for H40 feet)
> Set of 4 feet H 20mm
> Set of 4 feet H 60 mm
> Master key
> Additional metal shelf
> Hanging files Length. 330mm
> Kit of soft closing hinges

PRODUCTION > Dieffebi S.p.a.
> Start of production: 2010
> Country of production: Italy

NET WEIGHT 88,00 Kg

MAINTENANCE > Clean with a soft cloth
> Do not treat the surfaces with abrasive cloths

PACKAGING > volume: 1,27 m³
> Single cardboard cabinet with edges protected with polystyrene, on a single wooden pallet
> Optimized for transport with CO2 reduction
> Supplied: assembled
> No. of packages: 1

END OF USE > Equipped with disassembly card for disposal

WARRANTY > Dieffebi guarantees that the product was made using high quality materials - [See warranty document](#)

Primo Combi 1000

MADE IN ITALY

Cabinet with open unit and 3 filing drawers

W 1000 x D 450 x H 2003 mm

DESIGNER Takiro Yuta

WELLNESS AND ENVIRONMENT > Green design in accordance with LEED® standards, to design and furnish environments with a high sustainability content



FINISHING TEST

UNI EN ISO 2409:2013	EN ISO 1520:2006
NSS UNI EN ISO 9227:2017	UNI EN ISO 6272-1:2013
UNI EN 15187:2007	UNI EN 15185:2011
EN 12720:2013	UNI EN 15186:2012, met. B
EN 12721:2013	UNI 9300:2015
UNI 9429:2015	

CLASS OF REACTION TO FIRE > Class 0

POSITIONING > On the wall

ASSEMBLY CONSTRAINTS > Fixing system: plugs for fixing to the wall



ADIMEMBER



Primo Combi 1000

Varnish

Vernici

Vernis

Lacke

Cabinet Body
Corpo
Caisson
Korpus



-V1
S711 (RAL 9010)
Pure white



-V6
S380 (RAL 9006)
White aluminium

Additional metal shelf
Ripiano aggiuntivo in
metallo
Tablette supplémentaire
en métal
Zusätzlicher
Metallfachboden



-V1
S711 (RAL 9010)
Pure white



-V6
S380 (RAL 9006)
White aluminium

Plinth
Zoccolo
Socle
Socket



-V19
S210 (RAL 7021)
Black grey

Metal separator for hanging
file 330 mm
Convertitore lungo per
cartelle da 330 mm
Conertisseur pour dossiers
330 mm
Querstange für Hängemappen
330 mm



-V6
S380 (RAL 9006)
White aluminium